

A 1  
Sub C1  
1. A lip treatment comprising:

*Morinda citrifolia* seed oil present in an amount between about 0.1-20 percent by weight;

and

at least one of:

- (i) linoleic acid; and
- (ii) xeronine.

2. (cancel)

3. (cancel)

4. (cancel)

5. (cancel)

A 2  
6. The lip treatment of claim 1, further comprising *Morinda citrifolia* fruit juice present in an amount between about 0.1-50 percent by weight.

Sub C2  
7. The lip treatment of claim 1, further comprising at least one of:

- (i) dimethicone present in an amount between about 1-5 percent by weight;
- (ii) octyl salicylate present in an amount between about 1-5 percent by weight;
- (iii) oxybenzone present in an amount between about 1-5 percent by weight;

- A2
- Sub  
C2  
cont.
- (iv) cetyl alcohol present in an amount between about 1-5 percent by weight;
  - (v) squalane present in an amount between about 1-5 percent by weight;
  - (vi) butylated hydroxytoluene present in an amount between about 1-5 percent by weight;
  - (vii) beeswax present in an amount between about 1-5 percent by weight;
  - (viii) phenyl trimethicone present in an amount between about 1-5 percent by weight;
  - (ix) benzophenone-3 present in an amount between about 1-5 percent by weight;
  - (x) sorbitan oleate present in an amount between about 1-5 percent by weight;
  - (xi) a wax derivative present in an amount between about 1-5 percent by weight;
  - (xii) isopropyl lanolate present in an amount between about 1-5 percent by weight; and
  - (xiii) isocetyl stearate present in an amount between about 1-5 percent by weight;

8. The lip treatment of claim 1, further comprising at least one of:

- (i) octyl methoxycinnamate present in an amount between about 5-10 percent by weight;
- (ii) lanolin present in an amount between about 5-10 percent by weight;
- (iii) paraffin present in an amount between about 5-10 percent by weight; and
- (iv) isopropyl myristate present in an amount between about 5-10 percent by weight.

9. (cancel)

10. (cancel)

A 3 11. The lip treatment of claim 1, further comprising petrolatum present in an amount between about 20-80 percent by weight.

Sub C 3 12. The lip treatment of claim 1, further comprising ozokerite present in an amount between about 5-20 percent by weight.

13. (cancel)

14. (cancel)

15. (cancel)

16. (cancel)

17. (cancel)

18. (cancel)

19. (cancel)

20. (cancel)

21. (cancel)

A4  
Sub 7  
CH 7

22. The lip treatment of claim 1, further comprising white petrolatum present in an amount between about 40-70 percent by weight.

23. (cancel)

24. (cancel)

25. (cancel)

26. (cancel)

A5

27. The lip treatment of claim 1, further comprising ingredients selected from the group consisting of Menthol, Myristyl Lactate, Myristyl Myristate, Octyl Palmitate, Vitamin E, Avocado Oil, Cetyl Alcohol, Chamomile Oil, Isopropyl Lanolate, Microcrystalline Wax, Propylparaben, Shea Butter, Zinc Oxide, Aloe Vera Extract, Methylparaben, Jojoba Oil and, Fragrance, Cetyl Alcohol, Aloe Extract, Methylparaben, Propylparaben, Vitamin E Acetate, Vitamin E Linoleate, Sodium

Sub 5  
CS

25  
9/16  
Saccharinate, Sweet Almond Oil, Macadamia Ternifolia (Nut) Seed Oil, Kukui Nut Oil, Shea Butter, Camphor Gum, Menthol, Tocopheryl Acetate (Vitamin E Acetate), Propylparaben, and Flavor, each present in an amount between about 0-1 percent by weight.

Please add the following new claims:

- 26 28. A method for manufacturing a lip treatment, the method comprising the steps for:
- providing a carrier composition;
  - combining the carrier composition with *Morinda citrifolia* seed oil present in an amount between about 0.1% to 20% by weight and at least one of:
    - (i) linoleic acid; and
    - (ii) xeronine to obtain a resulting combination; and
  - providing the resulting combination in a container to allow for a selective application of the resulting combination on to a lip of a user.
29. A method as recited in claim 28, wherein the carrier composition comprises at least one of:
- (i) petrolatum;
  - (ii) ozokarite;
  - (iii) octyl methoxycinnamate;
  - (iv) cobitan oleate;
  - (v) benxophenone-3;
  - (vi) bees wax;

A6

- (vii) paraffin;
- (viii) canola oil;
- (ix) shea butter;
- (x) propylparaben;
- (xi) tocopheryl acetate;
- (xii) sweet almond oil;
- (xiii) macadamia ternfolia seed oil;
- (xiv) kukui nut oil;
- (xv) fragrance;
- (xvi) butylated hydroxyanisole;
- (xvii) propyl gallate; and
- (xviii) citric acid.

30. A method as recited in claim 28, further comprising the step for providing the resulting combination in the form of one of:

- (i) a lip balm;
- (ii) a lip ointment;
- (iii) a lipstick; and
- (iv) a lip gloss.